Paragon

KNITTING BOOK

No. 46

BABY CARDIGANS

1/6



For Contents see Back Cover

FISHER'S WOOL SHOP
OTOROHANGA

CUDDLES

A cuddly garment quickly knitted in the new Fontana Babyquick *thicker knitting baby wool.*

Use only
PARAGON KNITTING NEEDLES

MATERIALS: Fontana Babyquick (D.K.), 6 ozs; 1 pair each of Nos. 8 and 10 **Paragon** Knitting Needles; 5 buttons.

MEASUREMENTS: To fit chest measurement, 20 ins; length from shoulder, 10¼ ins; length of sleeve seam, 6 ins.

TENSION: 5½ sts to 1 inch in width.

ABBREVIATIONS: See page 7.

Accurate results can be obtained only by using the **Fontana** *wool recommended.*

CAUTION: *Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.*

THE BACK: Using No. 10 needles cast on 57 sts and work in rib as follows:—

1st row: P 1, * k 1, p 1; rep from * to end.

2nd row: K 1, * p 1, k 1; rep from * to end.

Rep these 2 rows 5 times more. (12 rows in all). Change to No. 8 needles and cont in patt as follows:—

1st row: (rsf) P 1, * k 1, p 1; rep from * to end.

2nd row: P.

3rd row: As 1st row.

4th row: K.

These 4 rows comprise the patt. Cont to rep them until work measures 5 ins.

Shape Raglan Armhole: (rsf) Keeping patt correct, dec 1 st at both ends of every right side row until 19 sts rem. Cast off.

LEFT FRONT: Using No. 10 needles cast on 29 sts and work as given for the back until piece measures same as for back to armholes, ending with a wrong side row.

Shape Raglan Armhole and Front Slope: Keeping patt correct, dec 1 st at armhole edge at beg of the next and every right side row AND AT THE SAME TIME dec 1 st at neck edge at the end of the next and every following 4th row until 6 sts rem. Now dec 1 st at armhole edge only on every right side row until 2 sts rem. Work 2 tog and fasten off.

RIGHT FRONT: Work as given for Left Front to armholes, ending with a wrong side row.

All designs are copyright, and reproduction in whole or part without permission is forbidden.

Published and distributed by
PARAGON ALLIANCE LIMITED
DUNEDIN, WELLINGTON and AUCKLAND Also in Australia and South Africa
Third Printing

DESIGNED FOR T.V. KNITTING

Shape Raglan Armhole and Front Slope: Keeping patt correct, dec 1 st at armhole edge at the end of the next and every right side row AND AT THE SAME TIME dec 1 st at neck edge at beg of the next and every following 4th row until 2 sts rem. Work 2 tog and fasten off.

SLEEVES: Using No. 10 needles cast on 31 sts and work 12 rows in rib as given for back. Change to No. 8 needles and cont in patt as for back. Keeping patt correct, inc 1 st at both ends of the 5th and every following 4th row until there are 45 sts on the needle. Cont straight until sleeve measures 6 ins, ending with a wrong side row.

Shape Top: (rsf) Dec 1 st at both ends of every right side row until 7 sts rem. Cast off.

TO MAKE UP: Press work on the wrong side with a warm iron over a damp cloth avoiding ribbings. Sew raglan sleeves neatly into armholes, then join side and sleeve seams.

First mark the position of 5 buttonholes with pins on the right front for a girl and left front for a boy. Arrange these so that the first one comes ½ inch from lower edge and the last one just before front slope shaping. The rest to come at evenly spaced intervals between.

Using No. 10 needles cast on 8 sts and work in k 1, p 1 rib making buttonholes to correspond with pins thus:—rib 3, cast off 2, rib 3. On the following row cast on 2 sts above those cast off. When the buttonholes have been completed, cont in rib until border is long enough to fit around the front and back neck edges. Cast off. Join border neatly to garment, buttonhole portion to appropriate side. Press seams. Sew on buttons.

END

CHAMP

A neat, lacy design to win all hearts.

MATERIALS: **Fontana 3 ply Worsted Baby Wool,** 2 ozs; 1 pair each of Nos. 10 and 12 **Paragon** Knitting Needles; 7 buttons.

MEASUREMENTS: To fit chest measurement, 22 ins; length from shoulder, 10½ ins; sleeve seam, 7 ins.

TENSION: 7½ sts to 1 inch in width over stocking stitch.

ABBREVIATIONS: See page 7.

Accurate results can be obtained only by using the **Fontana** *wool recommended.*

CAUTION: *Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.*

THE BACK: Using No. 12 needles cast on 76 sts and work 1½ ins in k 1, p 1 rib, inc 1 st at the end of the last rib row. (77 sts). Change to No. 10 needles and work a foundation row as follows:—

Next row: K 9, * p 1, k 5, p 1, k 6; rep from * ending with a k 9, instead of k 6.

Now work in the following patt:—

1st row: (Wrong side) P 9, * k 1, p 5, k 1, p 6; rep from * ending with p 9, instead of p 6.

2nd row: K 9, * p 1, k 2 tog, m 1, k 1, m 1, sl 1, k 1, psso, p 1, k 6; rep from * ending with k 9, instead of k 6.

3rd row: As the 1st row.

4th row: K 9, * p 1, k 5, p 1, k 6; rep from * ending with k 9, instead of k 6.

These 4 rows comprise the patt. Cont to rep them until work measures 6½ ins.

Shape Armholes: (rsf) Keeping patt correct, cast off 4 sts at beg of the next 2 rows, then dec 1 st at both ends of the next 4 rows. (61 sts). Cont without further shaping until armholes measure 3½ ins.

Shape Neck: (rsf) Patt across 21 sts, cast off the next 19 sts, patt across rem 21 sts.

Cont on the last 21 sts, dec 1 st at neck edge on the next 2 rows. Cast off.

Rejoin wool at neck edge and work the other side to correspond.

LEFT FRONT: Using No. 12 needles cast on 42 sts and work in rib with 7 sts at front edge in garter st for a border as follows:—

1st row: P 1, * k 1, p 1; rep from * until 7 sts rem, k 7.

2nd row: K 7, * k 1, p 1; rep from * to last st, k 1.

Cont to rep these 2 rows until work measures 1½ ins, ending with a 2nd row.

Change to No. 10 needles and work the foundation row as follows:—

Next row: K 9, (p 1, k 5, p 1, k 6) twice, k 7 (border).

Now work in patt as follows:—

1st row: (wrong side) K 7 (border), (p 6, k 1, p 5, k 1) twice, p 9.



DESIGNED FOR T.V. KNITTING

2nd row: K 9, (p 1, k 2 tog, m 1, k 1, m 1, sl 1, k 1, psso, p 1, k 6) twice, k 7 (border).

3rd row: As 1st row.

4th row: K 9, (p 1, k 1, p 1, k 6) twice, k 7 (border).

Cont in patt as now set until work measures same as for back to armholes, ending at side edge.

Shape Armhole: Keeping patt correct, cast off 4 sts at beg of the next row, then dec 1 st at this same edge on the following 4 rows. (34 sts). Cont without shaping until armhole measures $2\frac{3}{4}$ ins, ending at front edge.

Shape Neck: Keeping patt correct, cast off 10 sts at beg of next row, then dec 1 st at neck edge on every row until 20 sts rem. Work until armhole measures same as for back to shoulder. Cast off.

RIGHT FRONT: NOTE.—Make a buttonhole on this side in the 3rd row and then at intervals of $1\frac{1}{2}$ ins until there are 7 in all thus:—k 3, cast off 2, work to end. On the following row cast on 2 sts above those cast off.

Using No. 12 needles cast on 42 sts and work in rib with 7 sts at front edge in garter st for a border as follows:—

1st row: K 7, p 1, * k 1, p 1; rep from * to end.

2nd row: K 1, * p 1, k 1; rep from * until 7 sts rem, k 7.

Cont. on page 15

CUTIE

Knitted in a crossover stitch in thicker knitting baby wool.

MATERIALS: Fontana Babyquick (D.K.), 5 ozs; 1 pair each of Nos 7 and 10 **Paragon** Knitting Needles; 4 buttons.

MEASUREMENTS: To fit chest measurement, 19 ins; length from shoulder, 9¾ ins; length of sleeve seam, 6 ins.

TENSION: 5½ sts to 1 inch.

ABBREVIATIONS: See page 7.

Accurate results can be obtained only by using the **Fontana** *wool recommended.*

CAUTION: *Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.*

THE BACK: Using No. 10 needles cast on 56 sts and work 1½ ins in k 1, p 1 rib.

Change to No. 7 needles and cont in the following patt:—

1st row: P 2, * twist A thus: K into the 2nd st on left hand needle, then k into the first st and slip both sts off the needle together, twist B thus: k into the back of the 2nd st on left hand needle, then k into the first st and slip both sts off the needle together, p 2; rep from * to end.

2nd row: K 2, * p 4, k 2; rep from * to end.

These 2 rows comprise the patt. Cont to rep them until work measures 6 ins, ending with a 2nd row.

Shape Armholes: Keeping patt correct, cast off 2 sts at beg of the next 2 rows, then dec 1 st at both ends of the next 4 rows. (44 sts). Cont without further shaping until armholes measure 3½ ins on the straight, ending with a 2nd row.

Shape Neck: Patt across 16 sts, cast off 12 sts, patt across rem 16 sts. Cont on the last 16 sts, dec 1 st at neck edge on the next 2 rows. Cast off.

Rejoin wool at neck edge and work the other side to correspond.

LEFT FRONT: Using No. 10 needles cast on 26 sts and work as given for the back until work measures same as for back to armholes, ending with a 2nd row.

Shape Armhole and Front Slope: Keeping patt correct, cast off 2 sts from armhole edge at beg of next row, patt until 2 sts rem at front edge, work 2 tog.

Dec 1 st at armhole edge on the next 4 rows BUT AT THE SAME TIME cont to shape front slope by working 2 tog at this edge on every following 4th row until 14 sts rem. Cont straight until armhole measures same as for back to shoulder. Cast off.

RIGHT FRONT: Work as given for Left Front with all shapings at opposite ends of the work, shaping armhole and front slope after a 1st row.

DESIGNED FOR T.V. KNITTING

SLEEVES: (both alike) Using No. 10 needles cast on 30 sts and work 1½ ins in k 1, p 1 rib, inc 1 st at both ends of the last rib row. (32 sts). Change to No. 7 needles and cont in patt as given for back. Keeping patt correct, inc 1 st at both ends of the 3rd and every following 4th row until there are 44 sts on the needle. Cont straight until sleeve measures 6 ins, or length required, ending with a 2nd row.

Shape Top: Dec 1 st at both ends of every row until 12 sts

Cont. on page 14

ABBREVIATIONS USED THROUGHOUT THIS BOOK

K, knit; **p,** purl; **sts,** stitches; **inc,** increase; **dec,** decrease; **ins,** inches; **rsf,** right side facing; **rep,** repeat; **cont,** continues(ing); **patt,** pattern; **beg,** beginning; **sl,** slip; **psso,** pass slipped stitch (es) over; **m 1,** make 1 (by bringing or leaving the wool forward before a knit stitch, or winding the wool around the needle before a purl stitch; **tog,** together; **stst,** stocking stitch (right side knit, wrong side purl); **garter st,** every row knit.

⚜ Simple enough for a beginner. ⚜ ⚜ Easy for average knitters.

⚜ ⚜ ⚜ More complicated but not difficult.

CHARMER

To satisfy all tastes—a fashionknit garment.

MATERIALS: Fontana 4-ply worsted wool or **Fontana Highland**. 4 ozs 1 pair each of Nos 10 and 12 **Paragon** knitting needles. 12 buttons.

MEASUREMENTS: To fit chest measurement, 21 ins; length from shoulder, 10 ins; length of sleeve seam, 7½ ins.

TENSION: 7 sts and 9 rows to 1 inch over stocking stitch.

ABBREVIATIONS: See page 7.

Accurate results can be obtained only by using the **Fontana** *wool recommended.*

CAUTION: *Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.*

THE BACK: Using No. 12 needles cast on 80 sts and work 6 rows in k 1, p 1 rib.

Change to No. 10 needles and cont in stst until work measures 6 ins, ending with a p row.

Shape Armholes: Cast off 5 sts at beg of the next 2 rows, then dec 1 st at both ends of the next 5 rows. (62 sts). Cont without shaping until armholes measure 3¾ ins on the straight, ending with a p row.

Shape Neck: K 20, cast off 22, k 20.

Cont on the last 20 sts, dec 1 st at neck edge on the next 4 rows. Cast off.

Rejoin wool at neck edge and work the other side to correspond.

LEFT FRONT: Using No. 12 needles cast on 55 sts and work as follows:—

1st row: (P 1, k 1) 10 times, p 1, k 4, p 1, k 1, * p 1, k 1; rep from * to end.

2nd row: P 1, (k 1, p 1) 14 times, k 1, p 4, k 1, (p 1, k 1) 10 times.

3rd row: (P 1, k 1) 10 times, p 1, cable 4 thus:—slip the next 2 sts on to a spare needle and leave at back of work, k 2, then k the 2 sts from spare needle, p 1, k 1, * p 1, k 1; rep from * to end.

4th row: As 2nd row.

5th row: As 1st row.

6th row: As 2nd row.

Change to No. 10 needles and cont as follows:—

1st row: K 20, p 1, k 4, p 1, k 1, * p 1, k 1; rep from * to end.

2nd row: P 1, (k 1, p 1) 14 times, k 1, p 4, k 1, p to end.

3rd row: K 20, p 1, Cable 4, p 1, k 1, * p 1, k 1; rep from * to end.

4th row: As 2nd row.

5th row: As 1st row.

6th row: As 2nd row.

These 6 rows comprise the patt. Cont to rep them until work measures same as for back to armhole, ending at side edge.

Shape Armholes: Keeping work correct, cast off 4 sts at beg of

the next row, then dec 1 st at armhole edge on the next 5 rows. (46 sts). Cont without further shaping until armhole measures 3 ins on the straight, ending at neck edge.

Shape Neck: Cast off 30 sts in rib at neck edge, work to end. Cont on the last 16 sts until armhole measures same as for back to shoulder. Cast off

RIGHT FRONT: NOTE.—Make 6 sets of buttonholes on this side as follows:—(rsf) Rib 4, cast off 2, rib 17, cast off 2, work to end. On the following row cast on 2 sts above those cast off. Mark the position of 6 sets of buttons on the Left Front with pins, arranging them so that the first set comes ½ inch from lower edge, the last set ½ inch from neck edge and the rest at evenly spaced intervals between.

Using No. 12 needles cast on 55 sts and work as follows:—

1st row: (K 1, p 1) 14 times, k 1, p 1, k 4, p 1, * k 1, p 1; rep from * to end.

2nd row: (K 1, p 1) 10 times, k 1, p 4, k 1, p 1, (k 1, p 1) 14 times.

Cont. on page 14

DESIGNED FOR T.V. KNITTING

CHUBBIE

Easy to knit—a simple, effective design in Fontana thicker knitting baby wool.

Use only
PARAGON KNITTING NEEDLES

MATERIALS: Fontana Babyquick (D.K.), 6 ozs; 1 pair each Nos. 8 and 10 **Paragon** Knitting Needles; 6 small buttons.

MEASUREMENTS: To fit chest measurement 22 ins; length from shoulder 6½ ins; length of sleeve seam 6½ ins.

TENSION: 5½ sts to 1 inch.

ABBREVIATIONS: See page 7.

Accurate results can be obtained only by using the **Fontana** *wool recommended.*
CAUTION: *Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.*

THE BACK: Using No. 10 needles cast on 60 sts and work 1½ ins in k 1, p 1 rib.

Change to No. 8 needles and work as follows:—

1st row: K
2nd row: P.
3rd and 4th rows: K.

These 4 rows comprise the patt. Cont to rep them until work measures 5 ins, ending with a wrong side row.

Shape Raglan Armholes: (rsf) Keeping patt correct, dec 1 st at both ends of every right side row until 22 sts rem. Cast off.

LEFT FRONT: Using No. 10 needles cast on 30 sts and work as given for back until piece measures same as for back to armholes, ending with a wrong side row.

Shape Raglan Armhole: Work 2 tog at beg of the next and every following right side row until 17 sts rem, ending with a right side row.

Shape Neck: Cast off 3 sts at beg of the next row, work to end. Now dec 1 st at both ends of every right side row (for armhole and neck) until 2 sts rem. Work 2 tog and fasten off.

RIGHT FRONT: Work as given for Left Front, but shaping armhole by working 2 tog at the END of every right side row until 17 sts rem, ending with a wrong side row.

Shape Neck: Cast off 3 sts at beg of next row, work until 2 sts rem at armhole edge, work 2 tog.

Now dec 1 st at both ends of every right side row until 3 sts rem. Work 3 tog and fasten off.

SLEEVES: Using No. 10 needles cast on 32 sts and work 1½ ins in k 1, p 1 rib, inc 1 st at both ends of the last rib row. (34 sts). Change to No. 8 needles and cont in patt as given for back. Keeping patt correct, inc 1 st at both ends of the 5th and every following 4th row until there are 46 sts on the needle, then cont straight until sleeve measures 6½

DESIGNED FOR T.V. KNITTING

ins, or length required, ending with the same patt row as on back.

Shape Top: (rsf) Work 2 tog at both ends of every right side row until 8 sts rem. Cast off.

TO MAKE UP: Press work on the wrong side with a warm iron over a damp cloth avoiding ribbings. Sew raglan sleeves neatly into armholes, matching garter st stripes. Join side and sleeve seams.

FRONT BORDERS: Using No. 10 needles cast on 9 sts and work in k 1, p 1 rib, beg and ending 1st row with k 1, until border is long enough to fit along front edge to neck. Join to left front edge for a girl and right front edge for a boy, leaving the sts on a safety pin at top. Now mark the position of 5 buttons on this border with pins, arranging them so that the first one comes at a suitable distance from the top to allow for the 6th one to come evenly spaced in the centre of the ¾ inch neck band. The rest to come at evenly spaced intervals between. Work the opposite border to correspond with the one already completed, making buttonholes to correspond with pins thus:—rib 3, cast off 2, rib to end. On the following row cast on 2 sts above those cast off. Join border neatly to front edge, leaving sts on a safety pin at top.

Neck Band: With rsf and using No. 10 needles, rib across the 9 sts on safety pin at right front edge, then pick up and k 13 sts along neck edge to sleeve, 8 sts across top of sleeve, 21 sts across back neck, 8 sts across opposite sleeve, 13 sts along left front neck and rib across the rem 9 sts on safety pin. (81 sts). Work ¾ inch in rib on these sts, making another buttonhole in the centre of neck band to correspond with the others. Cast off in rib. Press all seams. Sew on buttons. **END**

CHERUB

Fascinating little flowers trim this dainty garment for a little one.

MATERIALS: Fontana 3 ply worsted Baby Wool, 3 ozs; 1 pair each Nos. 10 and 12 **Paragon** Knitting Needles; 5 buttons; scraps of coloured wool for embroidery.

MEASUREMENTS: To fit chest measurement, 19 ins; length from shoulder, 10¼ ins; length of sleeve seam 6 ins.

TENSION: 7½ sts to 1 inch.

ABBREVIATIONS: See page 7.

Accurate results can be obtained only by using the **Fontana** *wool recommended.*

CAUTION: *Check your tension carefully and if it does not correspond with the tension given use a larger or smaller size of needles.*

THE BACK: Using No. 12 needles cast on 76 sts and work 12 rows in k 1, p 1 rib.

Change to No. 10 needles and work as follows:—

1st row: K 5, * p 2, k 6; rep from * ending with k 5, instead of k 6.

2nd row: P.

Cont to rep these 2 rows until work measures 4 ins, ending with a 2nd row. Now work as follows:—

1st row: K 5, * p 2, k 14; rep from * ending with p 2, k 5.

2nd row: P.

Cont to rep these 2 rows until work measures 6½ ins, ending with a 2nd row.

Shape Armholes: Cont in stst across all sts. Cast off 2 sts at beg of the next 2 rows, then dec 1 st at both ends of the next 6 rows. (60 sts). Cont without further shaping until armholes measure 3½ ins on the straight.

Shape Neck and Shoulders: (rsf) K 19, cast off 22, k 19. Cont on the last 19 sts dec 1 st at neck edge on the next 2 rows. Cast off.

Rejoin wool at neck edge and work the opposite side to correspond.

LEFT FRONT: Using No. 12 needles cast on 35 sts and work 12 rows in k 1, p 1 rib, beg and ending first row with p 1. Change to No. 10 needles and cont as follows:—

1st row: K 3, * p 2, k 6; rep from * to end.

2nd row: P.

Cont to rep these 2 rows until work measures 4 ins, ending with a 2nd row. Now work as follows:—

1st row: K 11, p 2, k 14, p 2, k 6.

2nd row: P.

Cont to rep these 2 rows until work measures 6½ ins, ending with a 2nd row.

Shape Armhole and Front Slope: Cont in stst throughout. Cast off 2 sts at beg of the next row, k until 2 sts rem, k 2 tog. Dec 1 st at armhole edge on the next 6 rows BUT AT THE SAME TIME cont to shape front slope by working 2 sts tog at this edge on every 3rd row until 17 sts rem. Cont straight until armhole

DESIGNED FOR T.V. KNITTING

measures same as for back to shoulder. Cast off.

RIGHT FRONT: Using No. 12 needles cast on 35 sts and work 12 rows in rib as given for Left Front. Change to No. 10 needles and work as follows:—

1st row: * K 6, p 2; rep from * to last 3 sts, k 3.

2nd row: P.

Cont to rep these 2 rows until work measures 4 ins, ending with a 2nd row. Now work as follows:—

1st row: K 6, p 2, k 14, p 2, k. 11.

2nd row: P.

Cont to rep these 2 rows until work measures 6½ ins, ending with a 2nd row.

Next row: K.

Cont in stst (next row p), shaping armhole and front slope as given for Left Front with all shapings at opposite ends of the work.

SLEEVES: Using No. 12 needles cast on 42 sts and work 12 rows in k 1, p 1 rib.

Change to No. 10 needles and cont in stst, inc 1 st at both ends of the 3rd and every following 6th row until there are 60 sts on the needle.

Cont straight until sleeve measures 6 ins, or length required.

Shape Top: Dec 1 st at both ends of every row until 18 sts rem. Cast off, working 2 tog at both ends of casting off row.

BORDER: Using No. 12 needles cast on 6 sts and work in garter

Cont. on page 15

CHARMER

Cont. from page 9

3rd row: (K 1, p 1) 14 times, k 1, p 1, cable 4, p 1, * k 1, p 1; rep from * to end.

4th row: As 2nd row.

5th row: As 1st row.

6th row: As 2nd row.

Change to No. 10 needles and cont as follows:—

1st row: (K 1, p 1) 14 times, k 1, p 1, k 4, p 1, k to end.

2nd row: P 20, k 1, p 4, k 1, p 1, (k 1, p 1) 14 times.

3rd row: (K 1, p 1) 14 times, k 1, p 1, cable 4, p 1, k to end.

4th row: As 2nd row.

5th row: As 1st row.

6th row: As 2nd row.

These 6 rows comprise the patt. Cont to rep them working this side to correspond with side already completed with all shapings at opposite ends of the work.

SLEEVES: Using No. 12 needles cast on 42 sts and work 1½ ins in k 1, p 1 rib.

Change to No. 10 needles and cont in stst inc 1 st at both ends of the 3rd and every following 6th row until there are 60 sts on the needle. Cont straight until sleeve measures 7½ ins or length required.

Shape Top: Dec 1 st at both ends of every row until 18 sts rem. Cast off, working 2 tog at both ends of casting off row.

COLLAR: Join shoulder seams. Mark the centre of each front ribbing with a piece of coloured wool. Using No. 12 needles and with wrong side of work facing, commence at the centre of Left Front ribbing and pick up and k 81 sts around neck to the centre of Right Front ribbing. Now work 3 rows in p 1, k 1 rib, beg and ending the 1st row with p 1.

Change to No. 10 needles and cont in rib until collar measures 3½ ins. Cast off loosely in rib.

TO MAKE UP: Join side and sleeve seams. Sew sleeves neatly into armholes. Press seams with a warm iron over a damp cloth. Sew on buttons to correspond with buttonholes.

END

CUTIE

Cont. from page 7

rem. Cast off, working 2 tog at both ends of casting off row.

BORDER: First mark the position of 4 buttons with pins on the Left Front for a girl and Right Front for a boy. Arrange these so that the first one comes ½ inch from lower edge and the last one just before front slope shaping. The rest to come at evenly spaced intervals between.

Using No. 10 needles cast on 10 sts and work in k 1, p 1 rib, making buttonholes to correspond with pins thus:—Rib 4, cast off 2, rib to end. On the following row cast on 2 sts above those cast off. When the buttonholes have been completed, cont in rib until border is long enough to fit all around front and back neck edges. Cast off.

TO MAKE UP: Press work on the wrong side with a warm iron over a damp cloth, avoiding ribbings. Join shoulder seams neatly. Sew sleeves into armholes, then join side and sleeve seams. Join border neatly around front and back neck edges, buttonhole portion to right side for a girl and left side for a boy. Press all seams. Sew on buttons.

END

CHAMP

Cont. from page 5

Cont to rep these 2 rows until work measures 1½ ins, ending with a 2nd row.

Change to No. 10 needles and work a foundation row as follows:—

Next row: K 7 (border), (k 6, p 1, k 5, p 1) twice, k 9.

Now work in patt as follows:—

1st row: (wrong side) p 9, (k 1, p 5, k 1, p 6) twice, k 7 (border).

2nd row: K 7 (border), (k 6, p 1, k 2 tog, m 1, k 1, m 1, sl 1, k 1, psso, p 1) twice, k 9.

3rd row: As 1st row.

4th row: K 7 (border), (k 6, p 1, k 5, p 1) twice, k 9.

Cont in patt as now set, working to correspond with the Left Front with the borders and all shapings at opposite ends of the work.

SLEEVES: (both alike) Using No. 12 needles cast on 46 sts and work 1½ ins in k 1, p 1 rib, inc 5 sts evenly across the last rib row. (51 sts). Change to No. 10 needles and work in the patt as given for the back, inc 1 st at both ends of the 3rd and every following 6th row until there are 63 sts on the needle (working the extra sts in stst).

Cont straight until sleeve measures 7 ins, or required length.

Shape Top: Keeping patt correct, dec 1 st at both ends of every row until 21 sts rem. Cast off, working 2 tog at both ends of casting off row.

COLLAR: Using No. 10 needles cast on 64 sts and work as follows:—

1st row: K.

2nd row: K 5, p to last 5 sts, k 5.

Cont to rep these 2 rows for 1½ ins, inc 1 st at both ends of every right side row immediately inside the 5 border sts in garter st. Now work 6 rows in garter st across all sts. Cast off loosely.

TO MAKE UP: Press work lightly with a warm iron over a damp cloth avoiding the ribbing. Join shoulder seams. Sew collar to neck edge, allowing for the overlap of border sts at centre front. Sew in sleeves. Join side and sleeve seams. Press seams. Sew on buttons to correspond with buttonholes.

END

CHERUB

Cont. from page 13

st, making a buttonhole in the 5th row and then at intervals of 1¼ ins until there are 5 in all thus:—K 3, wind the wool twice around the needle, k 2 tog, k 1. On the following row, drop one made st and k the other. When the buttonholes have been completed, cont until border is long enough to fit all around front and back neck edges. Cast off.

TO MAKE UP: Press work with a warm iron over a damp cloth. Join shoulder seams neatly. Sew sleeves into armholes, then join side and sleeve seams.

Stitch border neatly to front and back neck edges, buttonhole portion to right side for a girl and left side for a boy. Press seams. Sew on buttons.

Embroider tops of borders as illustrated.

END

FISHER'S WOOL SHOP
OTOROHANGA

BABY CARDIGANS

CHERUB
Page twelve
FONTANA 3 ply worsted Baby wool.

CUTIE
Page six
FONTANA BABYQUICK (D.K.) Baby wool.

CHAMP
Page four
FONTANA 3 ply worsted Baby wool.



CHUBBIE
Page ten
FONTANA BABYQUICK (D.K.) Baby wool

CHARMER
Page eight
FONTANA 4 ply worsted wool, or FONTANA HIGHLAND.

CUDDLES
Page two
FONTANA BABYQUICK (D.K.) Baby wool.